Titanium Product Pioneer







TITANIUM DIOXIDE RUTILE SERIES GR-45



Gromax Enterprises Corp.

17335 Daimler Street, Irvine, CA 92614
Toll: 800-343-3508 Tel: 949-833-1199 Fax: 949-833-0099
www.gromaxchemical.com E-mail: info@gromax-usa.com

TITANIUM DIOXIDE RUTILE SERIES

GR-45

Preface:

Gromax Group concentrates on innovation and R&D for titanium product. Gromaxprovides TiO2 to worldwide users in comprehensive applications. GR-45 is an innovative general grade TiO2, used into coating, ink, rubber, paints, comprehensive plastic, engineering plastic...etc. GR-45 confers excellent weather resistant for all kinds of materials, and used in exterior and interior products. Excellent blue toner makes GR-45 can apply into products with high required for color and dispersing, such as master batch, ink, and pigment. Due to continuous revolution for titanium products, GR-45,the revolutionary product becomes assigned product for famous factories around the world.



SPECIFICATION	
Appearance	white powder
TiO2 %	95.0
Tinting power	112%
(Compared with standard samples) %	
45um sieve residue %	0.1%max
Solution in water %	0.3% max.
Density g/cm ³	4.10
Brightness	97.5-99.7*L
PH Value	6.5-8.0
Oil absorption g/100g	19-21
Surface Treatment	Alumina and
	zirconium

FEATURE

- Resistance to weather
- Special nanometer surface treated
- Excellent opacity
- Good capability of color elimination.
- Fine particle size.
- Good Tinting Strength
- Ease of Dispersion
- Super Durability
- High whiteness
- blue toner

APPLICATION

- PVC (interior ,exterior)
- Various kinds of water based and oil based paints
- Powder coating and engineering paints
- PP.PE.EVA.PVC / Polyolefin
- Engineering Plastics
- Thermoplastics
- EMC, Melamine, PU, Unsaturated polyester resin
- Natural Rubber









- Synthetic Rubber
- Printing ink
- General plastic, rubber, resin, and all kinds of polymers
- Other industrial comprehensive use.

PACKAGE

25KG /PAPER BAG 20MTS / FCL





Gromax Enterprises Corp.

17335 Daimler Street, Irvine , CA 92614
Toll: 800-343-3508 Tel: 949-833-1199 Fax: 949-833-0099
www.gromaxchemical.com E-mail: info@gromax-usa.com