



Gromax Enterprises Corp.

17335 Daimler Street, Irvine , CA 92614

Toll: 800-343-3508 Tel: 949-833-1199 Fax: 949-833-0099

www.gromaxchemical.com e-mail: info@gromax-usa.com

MATERIAL SAFETY DATA SHEET

RICHNOX B225/B225G

Revision DATE:2012/01/08

1. Identification of the Substance/Preparation and the Company/Undertaking

Chemical characterization MIXTURE OF 48-52% RICHNOX 1010 AND 48-52% RICHFOS 168
TRADE NAME RICHNOX B225
CAS Number 6683-19-8 AND 31570-04-4
Producer/Supplier RICH YU CHEMICAL CO., LTD.

CONTACT PERSON MR. SEAN CHIANG

2. Composition/ Information on Ingredients

COMPOSITION : TETRAKIS METHYLENE-(3',5'-DI-T-BUTYL-4'-HYDROXYPHENYL)PROPIONATE METHANE
AND TRIS (2,4-DI-TERT-BUTYLPHENYL)PHOSPHITE
CAS NO : 6683-19-8 AND 31570-04-4
SYNONYMS: IRGANOX B225(CIBA PRODUCT)

3. Hazards Identification

No special hazards

4. First Aid Measures

Skin contact

Wash off with soap and plenty of water. Do not use organic solvents.

Eye contact

Rinse immediately with plenty of water for at least 15 minutes. In case of eye irritation, seek medical attention.

Inhalation

Move to fresh air. In case of prolonged exposure, seek medical attention. In case of indisposition, seek medical attention. In case of irritation of respiratory system or mucous membranes, seek medical attention.

Ingestion

Immediately give plenty (>500ml) of water (if possible charcoal slurry) . In case of spontaneous vomiting should be sure that Vomitus can freely drain due of danger suffocation. Give water repeatedly . Artificial induction of vomiting should be restricted to first aid staff. Seek medical advice .

5. Fire-Fighting Measures

Suitable extinguishing media

Water spray, Carbon dioxide(CO2),Foam, Dry powder

Extinguishing media which must not be used for safety reasons

High volume water jet

Exposure hazards

Contaminated water from fire hoses or sprinklers,etc. , must be prevented from draining into watercourses, sewers , or the ground water. Sufficient measures must be taken to retain water used for extinguishing. Contaminated water and soil Must be disposed of in conformity with local regulations.



Gromax Enterprises Corp.

17335 Daimler Street, Irvine , CA 92614

Toll: 800-343-3508 Tel: 949-833-1199 Fax: 949-833-0099

www.gromaxchemical.com e-mail: info@gromax-usa.com

Special protective equipment for firefighters

Wear full protective clothing. Wear self-contained breathing apparatus.

Hazardous decomposition products

Oxides of carbon, Oxides of phosphorus, oxides of nitrogen (NOx), Toxic gases/vapors

6. Accidental Release Measures

Personal precautions

Do not breathe vapors/dust. Remove all sources of ignition. Avoid contact with skin, eyes and clothing.

Environmental precautions

Do not flush into surface water, sanitary sewer or ground water system.

Methods for cleaning up

Use mechanical handling equipment. Collect spilled product into suitable containers, which must be tightly sealed and properly labeled. Avoid dust formation.

7. Handling and Storage

Handling

Avoid dust formation and ignition sources. Ensure good local exhaust ventilation. Do not eat, drink or smoke at the workplace. Danger! Explosion risk. Risk of explosion if an air-dust mixture forms. Avoid creation dusty conditions. Empty only into earthed or use a system otherwise designed to prevent or contain an explosion-see expert advice. SHELF LIFE: 1 year, in sealed containers protected from light, heat and air.

8. Exposure Controls/ Personal Protection

Exposure limit(s)

Value not tested

Technical measures/ Precautions

No special precautions required.

Respiratory protection

Effective dust mask

Hand protection

Protective gloves

Eye protection

Suitable goggles or face protection

Skin and body protection

Working clothes, closed footwear

9. Physical and Chemical Properties



Gromax Enterprises Corp.

17335 Daimler Street, Irvine , CA 92614

Toll: 800-343-3508 Tel: 949-833-1199 Fax: 949-833-0099

www.gromaxchemical.com e-mail: info@gromax-usa.com

POWDER,or GRANULE,FREE FLOW

Form

Colour	WHITE
Odour	ODOURLESS
Melting/Freezing temperature	116-179°C
Density	1.0-1.2 g/cm ³
Flash point	>150°C
Ignition Temperature	>380°C
Oxidising properties	not tested
Self-ignition temperature	not tested
Water solubility	<0.01wt% in water @ 25°C

<0.01 Pa (25°C)

Vapour pressure

Partition coefficient; Log Pow	not tested
PH-value	not tested
Explosive properties	not tested

10.Stability and Reactivity

Decomposition temperature	>350 °C
Condition to avoid	Static discharges .
Materials to avoid	Strong acids, strong bases and Strong oxidizing agents.

Hazardous decomposition products	Oxides of carbon , Oxides of Phosphorous , Oxides of nitrogen (Nox), Toxic gases/vapours
----------------------------------	--

11.Toxicological Information

Acute oral toxicity Rat	LD50 >2000mg/kg	EEC 88/379 conventional method
----------------------------	-----------------	--------------------------------------

not irritant EEC 88/379

Acute dermal

Irritation/corrosion,RABBIT		conventional method
Acute eye irriation/corrosion,Rabbit	not irritant not irritant	EEC 88/379

Acute skin irritation/corrosion

Rabbit		conventional method
--------	--	------------------------

12.Ecological information

Ecotoxic effects

Do not discharge product unmonitored into the environment

13.Disposal Considerations



Gromax Enterprises Corp.

17335 Daimler Street, Irvine , CA 92614

Toll: 800-343-3508 Tel: 949-833-1199 Fax: 949-833-0099

www.gromaxchemical.com e-mail: info@gromax-usa.com

Waste from residues/unused products

Residual chemical be disposed by incineration or by other modes of disposal in compliance with local legislation

Contaminated packaging

Contaminated packaging material should be treated equivalent to residual chemical. Clean packaging material should be subjected to waste management (recovery recycling, reuse) according to local legislation.

14. TRANSPORTATION INFORMATION

NO classification assigned.

LAND TRANSPORT ADR/RID : No classification assigned.

AIR TRANSPORT IATA/ICAO: NO classification assigned.

MARITIME TRANSPORT TMDG :No classification assigned.

FLASH POINT:>150°C

15. REGULATORY INFORMATION

EINECS:250-709-6

EC RISK AND R22 Harmful if swallowed.

SAFETY S2 Keep out of reach of children.

PHRASES : S13 Keep away form food , drink and animal feeding stuffs.

S24 Avoid contact with skin.

S36 Wear suitable protective clothing.

S46 If swallowed , seek medical advice immediately and show this container or label.

All of the single components are comply with FDA 21CFR178.2010.

16. OTHERS

The information in this MSDS was obtained from sources which we believe are reliable . **HOWEVER , THE INFORMATION IS PROVIDED WITHOUT ANY WARRANTY , EXPRESS OR IMPLICATION , REGARDING ITS CORRECTNESS.** The conditions or methods of handling , storage , use , and disposal of the Product are beyond our control and may be beyond our knowledge. **FOR TH IS AND OTHER REASONS ,WE DO NOT ASSUME RESPONSIBILITY , AND EXPRESS DISCLAIM LIABILITY FOR LOSS , DAMAGE ,OR EXPENSE ARISING OUT OF OR IN ANY WAY CONNECTED WITH THE HANDLING ,STORAGE ,USE OR DISPOSAL OF THE PRODUCT .** This MSDS was prepared and is to be used only for this product . If the product is used as a component in another product , this MSDS information may not be applicable.